



FULL STORAGE TILED STOVE

The small full-featured tiled stove to enjoy the full benefit of warmth



The Full Storage Tiled Stove

- + Long-lasting ceramic infared heat
- + Pleasantly warm, velvety-soft surfaces
- + High-quality handcrafted surface textures
- + Extensive Sommerhuber range of glaze colors
- + Set up in just one day
- + Low-dirt installation
- + Ideal for retrofit installation
- + **Independent heating**

Titel

2139_01: round, height 165 cm

Ceramics: flute fine 505

Glaze: 482 tourmaline dark lustrous

Technique: Ofen Innovativ KSO

KE 182,6

2140: round, height 165 cm

Ceramics: smooth 505

Glaze: 484 aquamarine medium lustrous

Technique: Ofen Innovativ KSO

KE 182,6







The Warmth of the Sun

The ceramic radiant heat of tiled stoves by the Sommerhuber Ceramic Manufactory almost corresponds to the radiant heat of the sun. This is why we perceive the inimitable ceramic radiant heat of a tiled stove as so pleasant and cozy. These properties make the full storage tiled stove the pleasant center of every living room.

2150: round, height: 167 cm
Ceramics: smooth 505, tile Arabesco 139, flat ledge 171
Glaze: 481 tourmaline medium lustrous
Technique: Ofen Innovativ KSO
KE 211





2155_1: round, height 187 cm
Ceramics: smooth 505 with radial flat ledge Elegance Ginkgo leaf
Glaze: 451 alabaster lustrous
Ornamental painting: 481 tourmaline medium lustrous
Technique: Ofen Innovativ KSO
KE: 291,2

The smallest full-featured tiled stove

With a height of just 165 cm, the full storage tiled stove is the smallest tiled stove the Sommerhuber Ceramic Manufactory. With its low weight, it is suitable for installation on existing underfloor heating and can be completely and cleanly installed within a day.

2149_1: round, height 187 cm
Ceramics: smooth 505 with radial flat ledge Elegance
Glaze: 451 alabaster lustrous
Technique: Ofen Innovativ KSO
KE: 237,2

2153: round, height 167 cm
Ceramics: smooth 505, tile flute fine 378, flat ledge 178
Glaze: 486 moonstone bright lustrous,
487 moonstone medium lustrous
Technique: Ofen Innovativ KSO
KE 211





A big piece of quality of life

Like all tiled stoves by the Sommerhuber Ceramic Manufactory, it is a (small) piece for a great quality of life. The storage capacity of the heat storage ceramics fulfills the the need for high energy efficiency and the independent heating option with the renewable, domestic energy source wood. The full storage tiled stove fits perfectly as an independent, alternative form of heating in every living space.

2158: square, height 165 cm
Ceramics: smooth 505
Glaze: 226 peat light weathered
Technique: Ofen Innovativ KLEO
KE: 204,6

2115: round, height 165 cm
Ceramics: smooth 505
Glaze: 226 peat light weathered
Technique: Ofen Innovativ KSO
KE 182,6

2072_4: square, height 165 cm
Ceramics: smooth 505, flute fine 505
Glaze: 311 sahara
Technique: Ofen Innovativ KSO
KE 195,7





Tomorrow's Classic for Today

Living tradition finds its counterpart in today's world. The new, small form of the tiled stove can be individually designed in a variety of glazes and textures. This turns the full storage tiled stove into a classic that stores heat and slowly releases it as cozy ceramic radiant heat.

2152: round, height 182 cm
Ceramics: smooth 505, band tile Arabesco 139, flat ledge Arabesco 170
Glaze: 227 granite 2 light weathered
Technique: Ofen Innovativ KSO
KE 262,8

without lid, height: 182 cm



with lid, height: 188 cm











2113_2: round, height 165 cm
 Ceramics: flute fine 505
 Glaze: 281 black lustrous
 Technique: Ofen Innovativ KSO
 KE 182,6



2113: round, height 165 cm
 Ceramics: flute fine 505
 Glaze: 450 enamel white lustrous
 Technique: Ofen Innovativ KSO
 KE 182,6



Outside:
 High-quality Sommerhuber heat storage ceramics
 Dimensions round: as of 165 x Ø 53 cm
 Dimensions square: as of 165 x 50 x 50 cm

Inside:
 Ofen Innovativ KSO/KLEO
 Tested in accordance with DIN EN 13229,
 Only KSO: DIBt RLU tested Z-43.12-286




Nominal heat output full air heating mode for approx. 3.5h:
 KSO average 4,2 kW / KLEO average 6,8 kW
 Amount of wood to be used / h: KSO 1,93 kg / KLEO 1,97 kg
 Efficiency: > 81%
 For low-energy houses: approx. 65 m²

Nominal heat output full storage mode
 according to technical data manufacturer:
 KSO/KLEO average 2,2 kW/h over 8h
 Storage duration: up to 8h
 Amount of wood to be used: once up to max. 5,5 kg
 Log length: max. 38 cm

Flue tube rear or top: Ø 13 cm
 Connection height flue pipe centered: 149,5 cm
 Combustion air connection: Ø 10 cm
 Weight: 330 kg bis 400 kg
 Short assembly time: assembled by a specialist in approx. 1 day

Positioning KLEO corner door left/right selectable

Heat storage duration



Heat up once - up to 8 hours of cozy, long-lasting ceramic radiant heat



Sommerhuber GmbH, Resthofstr. 69, A-4400 Steyr
 Phone: +43/7252/893-0, keramik@sommerhuber.com
www.sommerhuber.com

We would like to thank:
 Schloss Lamberg Steyr, Österreichische Bundesforste AG


SOMMERHUBER
 Keramik Manufaktur Steyr 1491